*State of Rhode Island and Providence Plantations*

*West Warwick Regional*

WASTEWATER TREATMENT FACILITY

WEST WARWICK, RHODE ISLAND 02893

**www.westwarwickri.org**

West Warwick Waste Water
Treatment Facility
1 Pontiac Ave., West Warwick, RI
Telephone: 401-822-9228
Telephone: 401-822-9229
Fax: 401-823-3620

# GREASE TRAP CLEANING LOG

COMPANY NAME: _____

ADDRESS: _____

CONTACT PERSON: _____ PHONE NUMBER: _____

| DATE | QUANTITY OF GREASE REMOVED | CLEANING PERSON'S SIGNATURE | MANAGER'S SIGNATURE |
|---|---|---|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

1. Exterior grease traps must be cleaned on a regular basis as deemed necessary by the Pretreatment Coordinator to reduce oil and grease.
2. Interior grease traps must be cleaned on a regular schedule. Maintenance frequency is dependent upon kitchen usage and shall be set by the Pretreatment Coordinator.
3. Cleaning logs must be posted for inspection purposes and shall be kept up to date.
4. The West Warwick Sewer Commission may request a copy of this form at any time.